

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-12. (Canceled)

13. (Previously Presented) An implantable prosthesis in accordance with claim 27, wherein the plug has a prismatic shape.

14-16. (Canceled)

17. (Withdrawn) An implantable prosthesis in accordance with claim 27, wherein the plug has an open side in the form of a triangular profiled trough, the generally triangular cross-sectional shape being maintained by said internal support formed by said mesh material.

18-19. (Canceled)

20. (Withdrawn) An implantable prosthesis in accordance with claim 28, wherein the webs are an integral part of the mesh configured by folding.

21. (Withdrawn) An implantable prosthesis in accordance with claim 27, wherein three elongate sub-units are connected to form the prosthesis, said sub-units being of a triangular profile.

22. (Withdrawn) An implantable prosthesis in accordance with claim 27, wherein the external wall mesh material is pleated circumferentially to provide a degree of flexibility and compressibility, to facilitate placement into a defect comprising a hernia.

23. (Previously Presented) An implantable prosthesis in accordance with claim 27, wherein the plug is cut to an appropriate required dimension from a stock length piece.

24. (Withdrawn) An implantable prosthesis in accordance with claim 27, wherein the plug is formed by a plurality of individual units connected in a longitudinal side-by-side relationship.

25. (Previously Presented) An implantable prosthesis in accordance with claim 27, wherein the mesh material comprises polypropylene.

26. (Canceled)

27. (Currently Amended) An implantable prosthesis for the repair of muscle wall defects, the prosthesis comprising a flexible plug of a surgically compatible mesh material, the plug having an elongate form and comprising an external mesh material wall;

wherein:

the external mesh material wall has three projecting longitudinal ridges or bulges which provide the plug with a generally triangular cross-sectional shape; and

the plug further comprises an internal support ~~for maintaining~~ extending into contact with  
respective interiors of the projecting longitudinal ridges or bulges to maintain the shape of the external mesh material wall.

28. (Previously Presented) An implantable prosthesis in accordance with claim 27, wherein the internal support comprises longitudinal webs internally of the external mesh material wall.

29. (Withdrawn) An implantable prosthesis in accordance with claim 28, wherein the webs are an integral part of the mesh material configured by folding.

30. (Previously Presented) An implantable prosthesis in accordance with claim 28, wherein the webs are formed by separate parts bonded to an inner surface of the external mesh material wall.

31. (Withdrawn) An implantable prosthesis in accordance with claim 24, wherein said units individually have a prismatic profile.

32. (Withdrawn) An implantable prosthesis in accordance with claim 27, wherein the external mesh material wall is pleated longitudinally to provide a degree of flexibility and compressibility, to facilitate placement into a defect comprising a hernia.

33. (Previously Presented) An implantable prosthesis in accordance with claim 23, wherein the mesh material includes at least one joint, said joint being achieved by heat sealing.